

Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Mensa KSA, Pfäffikon - 29.05.2018

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OWASpKonErgAus	Sco	Prz	Bd	NS	OWASpKonErgAus	Sco	Prz					
1	3	105	W 3K +2	CA	-150	0	6	11	106	W 3SA +3	C6	-690	5	11	3	113	S 1T -2	K10	-100	0
1	13	112	O 2P =	CK	-110	20	6	10	104	W 3SA +3	C6	-690	5	11	5	104	W 1SA =	PB	-90	9
1	10	106	W 3T =	CA	-110	20	6	8	113	O 4P =	C8	-620	25	11	2	111	N 1SA -1	CA	-50	32
1	8	102	O 2P =	CK	-110	20	6	5	107	O 4P =	C3	-620	25	11	12	105	N 1SA -1	T2	-50	32
1	9	104	N 3C -1	PA	-50	40	6	7	111	O 3SA =	C3	-600	40	11	11	103	N 1SA -1	T9	-50	32
1	7	113	O 2P -1	C7	50	55	6	6	109	N 3C X -3	K3	-500	50	11	9	112	N 2K -1	CA	-50	32
1	5	109	W 4K -1	CA	50	55	6	9	102	N 2C -2	K3	-100	60	11	1	109	O 2T -1	PA	50	55
1	4	107	O 2P -2	C7	100	70	6	3	103	O 3SA -1	CB	100	75	11	4	102	N 2K =	CA	90	68
1	12	110	O 3P -3	K2	150	80	6	1	112	O 3SA -1	C3	100	75	11	13	107	N 2K =	CA	90	68
1	1	101	W 5K X -2	CA	300	95	6	2	101	O 3SA -2	C5	200	95	11	10	101	S 1P +1	K9	110	82
1	6	111	W 5K X -2	CA	300	95	6	13	110	O 3SA -2	C5	200	95	11	6	106	S 2SA =	C3	120	95
2	10	106	W 4P +1	KA	-450	5	7	3	102	N 2P +3	C6	200	0	11	8	110	N 1SA +1	CA	120	95
2	7	113	W 4P +1	KA	-450	5	7	1	111	N 2P +4	C6	230	10	12	6	106	W 4P +1	TA	-450	9
2	1	101	W 4P =	KA	-420	40	7	13	109	N 4P +2	C6	680	35	12	4	102	W 4P +1	C5	-450	9
2	13	112	W 4P =	KA	-420	40	7	12	107	N 4P +2	K4	680	35	12	2	111	W 4P +1	C3	-450	9
2	6	111	W 4P =	KA	-420	40	7	11	105	N 4P +2	K3	680	35	12	3	113	W 4P =	K8	-420	41
2	5	109	W 4P =	KA	-420	40	7	10	103	N 4P +2	C6	680	35	12	13	107	W 4P =	C2	-420	41
2	4	107	W 4P =	KA	-420	40	7	8	112	N 4P +3	C6	710	60	12	9	112	W 4P =	C10	-420	41
2	12	110	W 3P +1	KA	-170	80	7	4	104	N 6P =	C6	1430	80	12	8	110	W 4P =	C3	-420	41
2	9	104	W 3P +1	KA	-170	80	7	9	101	N 6P =	T7	1430	80	12	5	104	W 4P -1	T6	50	77
2	3	105	W 3P +1	KA	-170	80	7	7	110	N 6P =	C6	1430	80	12	1	109	W 4P -1	TA	50	77
2	8	102	W 5P -1	KA	50	100	7	2	113	S 6SA +1	CB	1470	100	12	11	103	W 4P -1	K6	50	77
3	10	105	S 2T +2	CB	130	0	8	11	105	N 6K -3	T8	-150	0	12	10	101	W 4P -1	TA	50	77
3	12	109	S 3T +2	KB	150	10	8	1	111	N 6SA -2	C2	-100	10	12	12	105	W 4P -2	K6	100	100
3	9	103	S 2T +4	P3	170	25	8	13	109	S 3SA -1	T2	-50	40	13	5	103	S 4C X -4	P3	-1100	0
3	8	101	S 2T +4	C4	170	25	8	12	107	S 3SA -1	T2	-50	40	13	3	112	N 6T X -3	TB	-800	10
3	7	112	S 2SA +3	C4	210	40	8	10	103	N 3SA -1	KB	-50	40	13	12	104	S 3C X -2	P3	-500	20
3	1	113	S 3SA =	C4	400	50	8	9	101	S 4C -1	K2	-50	40	13	9	111	S 4C -3	P9	-300	30
3	6	110	S 3SA +1	C4	430	60	8	8	112	S 4C -1	T10	-50	40	13	7	107	S 3C -1	KB	-100	40
3	2	102	S 3SA +2	C4	460	85	8	4	104	S 2C +3	KA	200	70	13	6	105	W 3P -1	K10	100	60
3	13	111	S 3SA +2	CB	460	85	8	3	102	S 4C =	P3	420	80	13	4	101	W 2P -1	T7	100	60
3	11	107	S 3SA +2	P2	460	85	8	2	113	N 3SA +1	C2	430	90	13	10	113	O 4P -1	T9	100	60
3	4	106	S 3SA +2	C4	460	85	8	7	110	S 3SA +2	P3	460	100	13	11	102	O 3P -2	CD	200	80
4	12	109	N 2T -4	PA	-400	0	9	12	106	N 6P -1	K4	-50	5	13	2	110	W 4P -3	T2	300	95
4	2	102	S 3C -3	P3	-300	10	9	7	109	N 5P -1	P3	-50	5	13	13	106	O 4P -3	C8	300	95
4	1	113	N 2T -2	PA	-200	30	9	10	102	N 3P =	K4	140	20	14	3	112	N 2C -2	T7	-100	5
4	13	111	N 2T -2	PA	-200	30	9	3	101	N 2P +2	K4	170	30	14	2	110	N 3P -2	P2	-100	5
4	4	106	N 2T -2	PA	-200	30	9	11	104	N 4P =	P3	420	40	14	12	104	W 1SA =	CA	-90	20
4	7	112	W 2P +1	TA	-140	50	9	8	111	S 4P +1	KA	450	50	14	7	107	N 2C -1	T10	-50	35
4	10	105	N 2T -1	T10	-100	70	9	5	105	S 4P +2	KA	480	70	14	9	111	N 2C -1	P7	-50	35
4	8	101	N 2T -1	PA	-100	70	9	4	103	S 4P +2	C2	480	70	14	5	103	W 1SA -1	CA	50	50
4	6	110	N 2T -1	PA	-100	70	9	9	113	N 4P +2	KK	480	70	14	4	101	W 1P -2	CA	100	60
4	11	107	O 2K =	T5	-90	90	9	2	112	S 4P +3	P7	510	95	14	6	105	N 2C =	P2	110	75
4	9	103	N 2T =	PA	90	100	9	1	110	N 4P +3	C4	510	95	14	10	113	N 2C =	K10	110	75
5	6	109	O 1SA +2	T7	-150	0	10	4	103	S 2SA -2	K6	-200	15	14	11	102	N 1SA +1	K2	120	90
5	3	103	O 1SA +1	T3	-120	10	10	2	112	N 2C -2	T4	-200	15	14	13	106	N 2C +1	P7	140	100
5	1	112	W 2K +1	TD	-110	40	10	11	104	N 2C -2	T2	-200	15	15	6	104	O 4C +1	P7	-450	5
5	11	106	O 2P =	CA	-110	40	10	7	109	S 2P -2	C9	-200	15	15	12	103	O 4C +1	PD	-450	5
5	10	104	W 2K +1	TD	-110	40	10	5	105	N 2C -1	T2	-100	50	15	4	113	W 5T =	PA	-400	20
5	9	102	O 1C +1	KD	-110	40	10	1	110	S 1P -1	C9	-100	50	15	3	111	N 4P -2	T7	-200	30
5	5	107	W 2K +1	TD	-110	40	10	8	111	N 2C -1	T9	-100	50	15	2	109	W 3T +2	PA	-150	40
5	13	110	S 1SA -1	C4	-100	70	10	10	102	W 2T =	PA	-90	70	15	1	107	W 4T =	PA	-130	50
5	2	101	W 2K =	T3	-90	90	10	12	106	S 1SA =	P2	90	80	15	7	106	W 5T -1	PA	50	70
5	8	113	W 2K =	T3	-90	90	10	3	101	O 1SA -1	C2	100	90	15	5	102	W 5T -1	PA	50	70
5	7	111	W 1SA =	T3	-90	90	10	9	113	O 1SA -2	C6	200	100	15	10	112	O 5C -1	K5	50	70

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.

Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Mensa KSA, Pfäffikon - 29.05.2018

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz			
15	13	105	W 6T -2	PA	100	95	20	12	101	W 4C -1	C6	100	80	25	8	103	S 4P =	CA	420	75
15	11	101	O 4C -2	P4	100	95	20	7	104	W 5C -2	PA	200	100	25	2	104	S 4P =	CA	420	75
16	6	104	O 3P =	T8	-140	0	21	9	107	O 3SA +2	T9	-460	10	26	3	106	S 4P X -2	CA	-500	0
16	4	113	W 3K =	T2	-110	15	21	5	112	O 3SA +2	T6	-460	10	26	7	101	W 3K +1	PA	-130	10
16	10	112	O 2P =	KA	-110	15	21	1	104	O 3SA +2	T3	-460	10	26	12	111	S 2P +1	CA	140	20
16	1	107	Pass		0	30	21	11	111	O 3SA +1	P3	-430	55	26	13	113	S 3P +1	CA	170	50
16	3	111	O 2P -1	KA	100	45	21	10	109	O 3SA +1	P3	-430	55	26	11	109	S 3P +1	CA	170	50
16	2	109	O 3P -1	T8	100	45	21	8	105	O 3SA +1	T3	-430	55	26	10	107	N 3C +1	TA	170	50
16	7	106	N 3T =	K3	110	65	21	7	103	O 3SA +1	T3	-430	55	26	9	105	S 2P +2	CK	170	50
16	13	105	S 3T =	K10	110	65	21	4	110	W 3SA +1	P4	-430	55	26	8	103	S 3P +1	CK	170	50
16	5	102	S 3T +1	PA	130	85	21	13	102	O 3SA +1	P3	-430	55	26	5	110	S 3P +2	CA	200	80
16	11	101	S 3T +1	PA	130	85	21	2	106	W 4C =	P6	-420	90	26	6	112	S 4P =	CK	620	95
16	12	103	O 4P -2	T3	200	100	21	6	101	O 3SA =	T3	-400	100	26	2	104	N 4C =	TA	620	95
17	4	112	N 4P -2	K5	-100	0	22	10	109	S 2P -2	T2	-100	15							
17	9	109	N 3P -1	T9	-50	30	22	9	107	S 2P -2	C2	-100	15							
17	8	107	N 3P -1	CK	-50	30	22	5	112	S 2P -2	T4	-100	15							
17	6	103	N 3P -1	T6	-50	30	22	13	102	S 2P -2	T2	-100	15							
17	5	101	N 4P -1	K5	-50	30	22	6	101	S 3P -1	C2	-50	45							
17	1	106	N 4P -1	C6	-50	30	22	1	104	N 3T -1	CA	-50	45							
17	3	110	N 2P +1	CK	140	65	22	7	103	O 2SA -1	KA	100	60							
17	13	104	N 3P =	P3	140	65	22	11	111	N 3T +1	CA	130	70							
17	7	105	N 3P +1	CK	170	90	22	2	106	S 1P +3	T2	170	80							
17	12	102	N 2P +2	CK	170	90	22	4	110	W 3C -2	P7	200	90							
17	11	113	N 3P +1	CK	170	90	22	8	105	O 2SA -3	PK	300	100							
18	8	107	N 4C =	TA	620	15	23	12	112	S 2C -2	P7	-200	5							
18	4	112	N 4C =	TA	620	15	23	11	110	S 3C -2	C3	-200	5							
18	13	104	S 4C =	T9	620	15	23	7	102	S 2C =	KA	110	30							
18	12	102	S 4C =	T9	620	15	23	3	107	S 2C =	KA	110	30							
18	7	105	S 3SA +1	K3	630	40	23	2	105	S 2C =	K8	110	30							
18	9	109	S 4C +1	P10	650	70	23	8	104	S 2C +1	KA	140	60							
18	6	103	S 4C +1	P10	650	70	23	6	113	S 2C +1	P10	140	60							
18	5	101	S 4C +1	P6	650	70	23	5	111	S 2C +1	KA	140	60							
18	1	106	S 4C +1	C9	650	70	23	4	109	O 3T -2	C5	200	85							
18	11	113	S 4C +1	P10	650	70	23	1	103	O 2K -2	TA	200	85							
18	3	110	S 4C +2	K3	680	100	23	9	106	O 2K -3	C9	300	100							
19	4	111	O 3T =	K7	-110	0	24	12	112	W 1SA +2	CA	-150	0							
19	1	105	N 4C -2	TA	-100	10	24	9	106	W 1SA +1	CA	-120	20							
19	8	106	S 3SA -1	T2	-50	35	24	7	102	W 1SA +1	CA	-120	20							
19	6	102	N 4C -1	TA	-50	35	24	3	107	W 1SA +1	C9	-120	20							
19	5	113	N 3K -1	TA	-50	35	24	4	109	W 3K =	CA	-110	40							
19	2	107	N 4C -1	TA	-50	35	24	8	104	N 3C -2	K2	-100	55							
19	7	104	O 4T -1	PA	100	60	24	6	113	N 3C -2	PA	-100	55							
19	10	110	S 3K =	PK	110	70	24	11	110	N 2C -1	K7	-50	70							
19	3	109	W 2P -2	KA	200	85	24	5	111	W 1SA -1	C9	50	80							
19	12	101	W 3P -2	KA	200	85	24	2	105	N 2C =	C3	110	95							
19	13	103	W 2P -3	KA	300	100	24	1	103	N 2C =	PA	110	95							
20	8	106	W 4C +2	K6	-680	0	25	10	107	W 3K +1	P10	-130	0							
20	13	103	W 4C =	T10	-620	10	25	3	106	N 3P =	CA	140	10							
20	2	107	W 2C +4	K6	-230	20	25	7	101	S 3P +1	CA	170	25							
20	4	111	W 2C +2	K7	-170	30	25	5	110	S 3P +1	CA	170	25							
20	10	110	W 2C +1	TB	-140	50	25	6	112	W 5K -2	P3	200	40							
20	5	113	W 2C +1	TA	-140	50	25	13	113	S 4P =	CA	420	75							
20	3	109	W 3C =	TA	-140	50	25	12	111	S 4P =	CA	420	75							
20	6	102	W 4C -1	TB	100	80	25	11	109	S 4P =	CA	420	75							
20	1	105	W 3C -1	TA	100	80	25	9	105	S 4P =	K7	420	75							

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.