

## Paar-Resultate Howell-Turnier Samstag - Mensa KSA, Pfäffikon - 07.07.2018

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OWASpKonErgAus	Sco	Prz	Bd	NS	OWASpKonErgAus	Sco	Prz					
3	1	11	S 4P-2	TK	-100	10	8	4	6	O 4C+3	T3	-510	80	17	14	6	O 4C =	PA	420	40
4	1	11	O 3C-2	T8	200	0	9	4	1	S 3SA+1	T5	430	100	18	14	6	W 2SA-1	C3	-50	20
5	7	1	O 4P =	KA	420	60	10	4	1	W 2C+2	PB	-170	0	19	9	6	O 2T+1	P4	110	40
6	7	1	N 2P+1	TK	-140	70	11	10	4	W 4P =	CA	420	90	20	9	6	W 4C =	K10	620	60
7	14	1	O 4T+1	CK	150	70	12	10	4	O 4P+1	K9	450	50	21	1	6	O 2K-2	P2	-100	40
8	14	1	O 6C =	KB	980	50	13	14	4	W 4P+1	KK	650	100	22	1	6	N 4P+1	K10	-450	50
9	4	1	S 3SA+1	T5	-430	0	14	14	4	O 3T+1	KA	130	80	23	5	6	S 4C+3	P9	-710	40
10	4	1	W 2C+2	PB	170	100	15	7	4	N 4P-3	C10	300	80	24	5	6	N 1P-1	C10	50	30
11	9	1	W 4P-2	CA	-100	20	16	7	4	O 3P+2	KD	200	80	25	6	7	O 3C-1	CK	100	70
12	9	1	O 4P+1	K9	450	50	17	12	4	W 3SA+1	K10	430	70	26	6	7	O 3SA+1	PB	-630	20
13	13	1	N 4K =	CA	-130	10	18	12	4	W 3SA =	P9	400	100	1	7	8	N 1SA+2	C4	150	40
14	13	1	S 2P-1	T10	50	50	21	4	5	O 3K-2	C10	100	60	2	7	8	O 5T-1	K5	50	60
15	1	2	S 3SA-3	C4	-300	20	22	4	5	N 4P+2	T6	480	90	5	7	1	O 4P =	KA	-420	40
16	1	2	O 4P+1	KD	-650	0	23	13	4	S 5C+1	P9	-680	80	6	7	1	N 2P+1	TK	140	30
17	10	1	W 3SA =	T5	400	10	24	13	4	O 1SA+1	K2	120	80	7	7	12	O 5T-1	CK	100	80
18	10	1	W 2SA+1	C3	150	70	25	4	11	O 2P =	CK	-110	0	8	7	12	W 6SA =	P6	-990	20
19	1	8	N 2SA-3	C3	-150	0	26	4	11	O 3SA+1	P5	-630	20	9	5	7	S 3SA =	T5	-400	40
20	1	8	W 6C X-1	K6	200	90	1	5	12	N 3SA =	P2	400	90	10	5	7	W 2C+1	T9	140	80
21	1	6	O 2K-2	P2	100	60	2	5	12	O 4K-2	CK	100	80	11	7	11	W 3P =	CA	-140	50
22	1	6	N 4P+1	K10	450	50	3	5	10	S 3SA =	TA	400	80	12	7	11	O 4P+2	C6	-480	0
23	12	1	O5PXX-2	TA	-1000	20	4	5	10	O 4C X-5	T8	1400	100	13	7	9	N 4K-1	CA	-100	60
24	12	1	S 1SA =	C9	-90	0	7	5	9	S 3C =	PD	140	100	14	7	9	S 1SA-3	T6	-150	0
25	1	5	O 3P-1	K10	100	70	8	5	9	O 6C =	PD	-980	50	15	7	4	N 4P-3	C10	-300	20
26	1	5	W 3SA+1	K3	-630	20	9	5	7	S 3SA =	T5	400	60	16	7	4	O 3P+2	KD	-200	20
1	2	6	N 3SA-1	TA	-50	0	10	5	7	W 2C+1	T9	-140	20	17	13	7	W 3SA+2	T6	460	100
2	2	6	W 5P X-3	CA	500	100	11	5	2	W 2P+1	CA	-140	50	18	13	7	W 2SA-3	C5	-150	0
3	2	4	S 3P+1	TA	170	60	12	5	2	O 4P+1	K9	-450	50	19	14	7	N 2SA-2	T9	100	20
4	2	4	O 4C X-3	T8	800	80	13	11	5	N 4K =	CA	-130	10	20	14	7	W 4C =	K2	620	60
5	2	12	N 6C X-2	PA	-500	0	14	11	5	S 2P-1	P3	50	50	21	10	7	O 4K-2	C2	-100	40
6	2	12	N 3P+1	CB	170	70	15	14	5	S 3SA-2	CA	200	40	22	10	7	N 3P+2	T4	-200	100
7	8	2	O 4T+1	CK	150	70	16	14	5	N 3K =	TA	-110	0	23	2	7	N 4C+2	PA	-680	80
8	8	2	O 4C+2	PD	480	0	17	8	5	W 3SA+1	T7	430	70	24	2	7	W 1SA =	T4	90	60
9	14	2	N 3SA =	P10	-400	40	18	8	5	W 2SA+1	C3	150	70	25	6	7	O 3C-1	CK	-100	30
10	14	2	W 2C =	PB	110	60	19	13	5	N 1C+1	CK	-110	0	26	6	7	O 3SA+1	PB	630	80
11	5	2	W 2P+1	CA	140	50	20	13	5	W 6C-2	K4	-200	10	1	7	8	N 1SA+2	C4	-150	60
12	5	2	O 4P+1	K9	450	50	21	4	5	O 3K-2	C10	-100	40	2	7	8	O 5T-1	K5	-50	40
13	10	2	W 4P =	KK	620	80	22	4	5	N 4P+2	T6	-480	10	3	8	9	S 6SA-2	TA	-100	10
14	10	2	S 3K =	T6	-110	10	23	5	6	S 4C+3	P9	710	60	4	8	9	O 3C-3	T8	300	20
15	1	2	S 3SA-3	C4	300	80	24	5	6	N 1P-1	C10	-50	70	5	4	8	O 5P-1	KA	-50	0
16	1	2	O 4P+1	KD	650	100	25	1	5	O 3P-1	K10	-100	30	6	4	8	N 3P+1	CB	-170	30
19	11	2	O 2C+1	C7	140	70	26	1	5	W 3SA+1	K3	630	80	7	8	2	O 4T+1	CK	-150	30
20	11	2	W 4P =	CK	620	60	1	2	6	N 3SA-1	TA	50	100	8	8	2	O 4C+2	PD	-480	100
21	2	9	O 3K-2	C10	100	60	2	2	6	W 5P X-3	CA	-500	0	9	8	13	S 3SA =	P8	400	60
22	2	9	N 4P+1	K10	450	50	3	6	13	N 3SA+1	T5	430	100	10	8	13	W 2SA-1	T7	100	70
23	2	7	N 4C+2	PA	680	20	4	6	13	O 3C-4	T8	400	50	11	6	8	W 4P =	CA	420	90
24	2	7	W 1SA =	T4	-90	40	5	6	11	N 5C X-1	CA	-200	60	12	6	8	O 4P+1	C10	450	50
25	13	2	O 3P-2	K10	-200	0	6	6	11	N 4P =	TK	420	100	13	8	12	W 3P+2	KK	-200	40
26	13	2	O 3SA =	PB	600	30	7	4	6	O 4T+1	CK	150	70	14	8	12	S 2P =	KD	110	90
1	4	9	N 1SA+2	C4	150	40	8	4	6	O 4C+3	T3	510	20	15	8	10	O 3C-2	PD	100	80
2	4	9	O 4T =	CK	-130	20	9	6	10	S 3SA-1	PK	-50	0	16	8	10	N 2K =	TA	90	80
3	2	4	S 3P+1	TA	-170	40	10	6	10	W 3P-2	CD	200	100	17	8	5	W 3SA+1	T7	-430	30
4	2	4	O 4C X-3	T8	-800	20	11	6	8	W 4P =	CA	-420	10	18	8	5	W 2SA+1	C3	-150	30
5	4	8	O 5P-1	KA	50	100	12	6	8	O 4P+1	C10	-450	50	19	1	8	N 2SA-3	C3	150	100
6	4	8	N 3P+1	CB	170	70	15	12	6	S 3SA+2	CA	-660	0	20	1	8	W 6C X-1	K6	-200	10
7	4	6	O 4T+1	CK	-150	30	16	12	6	O 4T =	K2	130	60	21	14	8	O 3K-1	C2	-50	100

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.

## Paar-Resultate Howell-Turnier Samstag - Mensa KSA, Pfäffikon - 07.07.2018

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz			
22	14	8	N 4P +2	K10	-480	10	5	6	11	N 5C X -1	CA	200	40	14	13	1	S 2P -1	T10	-50	50
23	11	8	S 5C +1	P9	-680	80	6	6	11	N 4P =	TK	-420	0	15	9	13	N 4P -3	K7	300	80
24	11	8	N 2P -3	C10	150	100	7	10	11	O 3T +2	CK	150	70	16	9	13	N 5K -2	TA	100	40
1	4	9	N 1SA +2	C4	-150	60	8	10	11	O 6C +1	T3	1010	100	17	13	7	W 3SA +2	T6	-460	0
2	4	9	O 4T =	CK	130	80	9	11	12	S 2SA +1	CB	150	20	18	13	7	W 2SA -3	C5	150	100
3	8	9	S 6SA -2	TA	100	90	10	11	12	W 4C -1	PB	100	70	19	13	5	N 1C +1	CK	110	100
4	8	9	O 3C -3	T8	-300	80	11	7	11	W 3P =	CA	140	50	20	13	5	W 6C -2	K4	200	90
5	9	10	N 5C -1	PA	-100	80	12	7	11	O 4P +2	C6	480	100	21	11	13	O 3K -2	C2	-100	40
6	9	10	N 4P -2	TK	-100	0	13	11	5	N 4K =	CA	130	90	22	11	13	N 4P =	C8	-420	80
7	5	9	S 3C =	PD	-140	0	14	11	5	S 2P -1	P3	-50	50	23	13	4	S 5C +1	P9	680	20
8	5	9	O 6C =	PD	980	50	17	9	11	W 3SA =	T5	400	10	24	13	4	O 1SA +1	K2	-120	20
11	9	1	W 4P -2	CA	100	80	18	9	11	O 1SA +1	C8	120	40	25	13	2	O 3P -2	K10	200	100
12	9	1	O 4P +1	K9	-450	50	19	11	2	O 2C +1	C7	-140	30	26	13	2	O 3SA =	PB	-600	70
13	7	9	N 4K -1	CA	100	40	20	11	2	W 4P =	CK	-620	40	1	14	11	N 3SA =	C4	400	90
14	7	9	S 1SA -3	T6	150	100	21	11	13	O 3K -2	C2	100	60	2	14	11	W 4P =	CA	-420	0
15	9	13	N 4P -3	K7	-300	20	22	11	13	N 4P =	C8	420	20	3	14	12	S 4P -1	TA	-50	40
16	9	13	N 5K -2	TA	-100	60	23	11	8	S 5C +1	P9	680	20	4	14	12	O 4C -4	K3	400	50
17	9	11	W 3SA =	T5	-400	90	24	11	8	N 2P -3	C10	-150	0	5	14	13	O 4P +1	KA	-450	20
18	9	11	O 1SA +1	C8	-120	60	25	4	11	O 2P =	CK	110	100	6	14	13	N 3P =	TK	140	30
19	9	6	O 2T +1	P4	-110	60	26	4	11	O 3SA +1	P5	630	80	7	14	1	O 4T +1	CK	-150	30
20	9	6	W 4C =	K10	-620	40	1	5	12	N 3SA =	P2	-400	10	8	14	1	O 6C =	KB	-980	50
21	2	9	O 3K -2	C10	-100	40	2	5	12	O 4K -2	CK	-100	20	9	14	2	N 3SA =	P10	400	60
22	2	9	N 4P +1	K10	-450	50	3	14	12	S 4P -1	TA	50	60	10	14	2	W 2C =	PB	-110	40
23	14	9	S 6C =	P4	-1430	0	4	14	12	O 4C -4	K3	-400	50	13	14	4	W 4P +1	KK	-650	0
24	14	9	N 2P -1	C10	50	30	5	2	12	N 6C X -2	PA	500	100	14	14	4	O 3T +1	KA	-130	20
25	12	9	S 4C -1	T9	50	70	6	2	12	N 3P +1	CB	-170	30	15	14	5	S 3SA -2	CA	-200	60
26	12	9	W 3SA =	C3	600	30	7	7	12	O 5T -1	CK	-100	20	16	14	5	N 3K =	TA	110	100
1	13	10	N 1SA +2	C4	-150	60	8	7	12	W 6SA =	P6	990	80	17	14	6	O 4C =	PA	-420	60
2	13	10	S 4C -1	P6	100	60	9	11	12	S 2SA +1	CB	-150	80	18	14	6	W 2SA -1	C3	50	80
3	5	10	S 3SA =	TA	-400	20	10	11	12	W 4C -1	PB	-100	30	19	14	7	N 2SA -2	T9	-100	80
4	5	10	O 4C X -5	T8	-1400	0	11	12	13	W 4P -3	CK	150	100	20	14	7	W 4C =	K2	-620	40
5	9	10	N 5C -1	PA	100	20	12	12	13	O 4P =	C10	-420	100	21	14	8	O 3K -1	C2	50	0
6	9	10	N 4P -2	TK	100	100	13	8	12	W 3P +2	KK	200	60	22	14	8	N 4P +2	K10	480	90
7	10	11	O 3T +2	CK	-150	30	14	8	12	S 2P =	KD	-110	10	23	14	9	S 6C =	P4	1430	100
8	10	11	O 6C +1	T3	-1010	0	15	12	6	S 3SA +2	CA	660	100	24	14	9	N 2P -1	C10	-50	70
9	6	10	S 3SA -1	PK	50	100	16	12	6	O 4T =	K2	-130	40	25	14	10	S 4C -1	P8	-50	30
10	6	10	W 3P -2	CD	-200	0	17	12	4	W 3SA +1	K10	-430	30	26	14	10	O 2T +1	C10	-110	100
11	10	4	W 4P =	CA	-420	10	18	12	4	W 3SA =	P9	-400	0							
12	10	4	O 4P +1	K9	-450	50	19	10	12	O 3C =	T6	140	70							
13	10	2	W 4P =	KK	-620	20	20	10	12	W 4C +1	K4	650	100							
14	10	2	S 3K =	T6	110	90	23	12	1	O 5PXX -2	TA	1000	80							
15	8	10	O 3C -2	PD	-100	20	24	12	1	S 1SA =	C9	90	100							
16	8	10	N 2K =	TA	-90	20	25	12	9	S 4C -1	T9	-50	30							
17	10	1	W 3SA =	T5	-400	90	26	12	9	W 3SA =	C3	-600	70							
18	10	1	W 2SA +1	C3	-150	30	1	13	10	N 1SA +2	C4	150	40							
19	10	12	O 3C =	T6	-140	30	2	13	10	S 4C -1	P6	-100	40							
20	10	12	W 4C +1	K4	-650	0	3	6	13	N 3SA +1	T5	-430	0							
21	10	7	O 4K -2	C2	100	60	4	6	13	O 3C -4	T8	-400	50							
22	10	7	N 3P +2	T4	200	0	5	14	13	O 4P +1	KA	450	80							
25	14	10	S 4C -1	P8	50	70	6	14	13	N 3P =	TK	-140	70							
26	14	10	O 2T +1	C10	110	0	9	8	13	S 3SA =	P8	-400	40							
1	14	11	N 3SA =	C4	-400	10	10	8	13	W 2SA -1	T7	-100	30							
2	14	11	W 4P =	CA	420	100	11	12	13	W 4P -3	CK	-150	0							
3	1	11	S 4P -2	TK	100	90	12	12	13	O 4P =	C10	420	0							
4	1	11	O 3C -2	T8	-200	100	13	13	1	N 4K =	CA	130	90							

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.